EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/748837	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:13
S2	12	("5850433"|"5940483"|"5987471"|"6009323"|"6108646"|"6320943").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:20
S3	2	("5943611").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:20
S4	14	S2 or S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:21
S5	7	("7227941" "7130406" "6970548" "7027570").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:35
S6	0	(directory NEAR assistance) and (cisco NEAR "5400")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:41
S7	9	(directory NEAR assistance) and (cisco NEAR2 router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:42
S8	0	(directory NEAR assistance) and (cisco ADJ "5400")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:47
S9	3	(ICM and (tandem near switch) and router$2 and ((call$2 directory) NEAR2 (center$2 system$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:51

EAST Search History

S10	16604	((call$2 directory) NEAR2 (center$2 system$2)) and geograp$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:56
S11	7796	S10 and (primary secondary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:57
S12	1	S11 and router$2 and ((frequent$9 NEAR call$9) NEAR list$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 15:58
S13	1	(((frequent$9 NEAR call$2) NEAR rout$9) NEAR module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 16:03
S14	3	(primary NEAR2 rout$9) and ((frequent$9 repeat$9 previous$9) NEAR caller$2) and ((secondary (back ADJ up)) NEAR2 rout$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 16:10
S15	12	("5781620" "5838769" "5987110" "6185282" "6327349" "6381315"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 16:37
S16	77	(frequent$9 NEAR caller$2) and ((call$2 ADJ center$2) OR (directory ADJ2 (center$2 OR system$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 17:28
S17	49	S16 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 17:29
S18	863	((frequent$9 repeat$9 previous$9) ADJ (caller$2 or user$2 or customer$2)) and ((call$2 ADJ center$2) OR (directory ADJ2 (center$2 OR system$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 18:12
S19	564	S18 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 18:13

2/21/2008 7:18:25 PM
C:\Documents and Settings\knguyen23\My Documents\EAST\Workspaces\Call_Center_Directory_Assistance_10748837.wsp

Page 2

S20	14	S19 and ((secondary (stand ADJ by) (back ADJ up)) NEAR3 rout$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 18:19
S21	175	S19 and router$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 18:24
S22	3936	S21 ((primary main first pricip$9) NEAR router$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 18:39
S23	6	S21 and ((primary main first pricip$9) NEAR router$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/14 18:39
S24	54	(rout$9 NEAR9 (caller$2 OR customer$2 OR user$2 OR subscriber)) SAME ((first OR main OR primary) NEAR (center$2 OR system$2)) SAME ((second OR other OR (back ADJ up) OR (stand ADJ by)) NEAR (center$2 OR system$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:16
S25	41	S24 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:18
S26	0	((Cisco NEAR2 router$2) SAME "5400")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:36
S27	45	ICM and WAN and router$2 and POP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:38
S28	44	S27 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:38

S29	206	distribut$9 SAME rout$9 SAME plural$ SAME ((call ADJ center) OR (directory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:51
S30	138	S29 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 10:51
S31	27	S30 and (secondary OR (back ADJ up) OR (stand ADJ by))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 11:18
S32	2	"6229888".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 11:22
S33	34	(incoming ADJ calls) SAME primary SAME rout$9 SAME secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 14:09
S34	30	S33 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 14:09
S35	1814	(primary ADJ (router$2 OR device$2 OR switch$9)) SAME (secondary ADJ (router$2 OR device$2 OR switch$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 14:50
S36	69	S35 and ((call$2 ADJ center$2) OR (directory ADJ assistance) OR (customer$2 ADJ service$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 14:52
S37	58	S36 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 14:52
S38	7	(percentage SAME (priority ADJ calls)) AND (call$2 NEAR volume)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 15:07

S39	153	((frequent$9 OR repeat$9 OR previous$9) ADJ (caller$2 OR user$2)) SAME priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 15:13
S40	78	S39 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 15:13
S41	24	((frequent$9 OR repeat$9 OR previous$9) ADJ (caller$2 OR user$2)) AND (priority NEAR rout$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 15:23
S42	16	S41 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/15 15:23
S43	890	((call$2 ADJ center$2) OR (directory ADJ2 (center$2 OR systems))) AND ((call$2 NEAR rout$9) SAME (distribut$9 OR (load$9 NEAR shar$9)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:50
S44	277	S43 and percent$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:51
S45	274	S44 and (router$2 OR switch$9 OR device$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:52
S46	3	S44 not S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:53
S47	1	S46 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:57
S48	195	S45 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:57

S49	155	S48 and (frequent$9 OR repeat$9 OR previuos$9 OR (call$2 ADJ back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 09:59
S50	76	S48 and ((frequent$9 OR repeat$9 OR previuos$9 OR (call$2 ADJ back)) NEAR9 (caller$2 OR user$2 OR customer$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 10:02
S51	1	S48 and (((frequent$9 OR repeat$9 OR previuos$9 OR (call$2 ADJ back)) NEAR9 (caller$2 OR user$2 OR customer$2)) SAME percent$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 10:04
S52	16	S48 and ((frequent$9 OR repeat$9 OR previuos$9 OR (call$2 ADJ back)) ADJ (caller$2 OR user$2 OR customer$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 10:28
S53	4	((call$2 ADJ center$2) OR (directory ADJ2 (center$2 OR systems))) AND ((call$2 NEAR rout$9) SAME (load$9 NEAR shar$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 10:45
S54	717	((call$2 ADJ center$2) OR (directory ADJ2 (center$2 OR systems))) AND ((frequent$9 OR previous$9 OR repeat$9) ADJ (caller$2 OR user$2 OR customer$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 11:07
S55	468	S54 and @ad<="20031229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 11:08
S56	231	((frequent$9 OR previous$9 OR repeat$9) ADJ (caller$2 OR user$2 OR customer$2)) SAME (priorit$9 OR (special ADJ treatment$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 11:10
S57	13	S55 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 11:10
S58	16	((percent$5 NEAR call$2) NEAR6 (call ADJ volume))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 15:46